

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL ☒DEEPEN ☐PLUG BACK ☐

b. TYPE OF WELL

OIL
WELL ☐GAS
WELL ☒

OTHER

SINGLE
ZONE ☒MULTIPLE
ZONE ☐

2. NAME OF OPERATOR

Coastal Oil & Gas Corporation

3. ADDRESS OF OPERATOR

P.O. Box 749, Denver, CO 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*)

At surface

1686' FNL/1932' FWL (SE NW)

At proposed prod. zone

Same

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

Approximately 15 miles SE of Ouray, Utah

15. DISTANCE FROM PROPOSED*

LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drig. unit line, if any)

1686'

16. NO. OF ACRES IN LEASE

560

17. NO. OF ACRES ASSIGNED
TO THIS WELL

160

18. DISTANCE FROM PROPOSED LOCATION*

TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT.

2877'

19. PROPOSED DEPTH

6400' (Wasatch)

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

5340' Ungr. Gr.

22. APPROX. DATE WORK WILL START*

1/31/82

23.

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	9-5/8"	36#	200'	125 sx
8-3/4", 7-7/8"	4-1/2"	11.6#	6400'	Sufficient cmt to cover 200' above the uppermost hydrocarbon zone to protect the oil shale.

Fresh water aquifers will be protected when the long string
is run and cement is circulated back to surface.

Please see the attached supplemental information:

- (1) Survey Plat
- (2) Ten-point Program
- (3) BOP Schematic
- (4) Thirteen-point Surface Use Program

Gas Well Production Hook-up to follow on Sundry Notice

**APPROVED BY THE DIVISION
OF OIL, GAS, AND MINING**

DATE: 10-15-81

BY: H. E. Aab

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED

H. E. Aab

TITLE District Drilling Manager

DATE September 18, 1981

(This space for Federal or State office use)

PERMIT NO.

APPROVAL DATE

APPROVED BY

TITLE

DATE


CONDITIONS OF APPROVAL, IF ANY:

*See Instructions On Reverse Side

T10S, R22E, S.L.B. & M.

PROJECT
COASTAL OIL & GAS CORPORATION

Well location, NBU # 73, located as shown
in the SE 1/4 NW 1/4 Section 17, T10S, R22E,
S.L.B. & M. Uintah County, Utah.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM
FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY
SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE
BEST OF MY KNOWLEDGE AND BELIEF.

Lawrence C. Kay
REGISTERED LAND SURVEYOR
REGISTRATION NO 3137
STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING
P. O. BOX Q - 85 SOUTH - 200 EAST
VERNAL, UTAH - 84078

SCALE	1" = 1000'	DATE	9/2/81
PARTY	RK BK RP	REFERENCES	GLO Plat
WEATHER	Fair	FILE	

X = Section Corners Located

COASTAL OIL & GAS CORPORATION


NBJ #73

PROPOSED LOCATION

Topo.

MAP "A"

SCALE - 1" = 4 Mi.



1. Geologic name of surface formation:

UINTA

2. The estimated tops of important geologic markers:

GREEN RIVER: 1300'

WASATCH: 4400'

3. The estimated depths at which anticipated water, oil, gas are expected to be encountered:

WASATCH - 4400'

GAS -

4. The proposed casing program, including the size, grade and weight per foot each string and whether new or used:

9-5/8" - K-55, ST&C - 36# - NEW

4 -1/2" - N-80, LT&C - 11.6# - NEW

5. The operator's minimum specifications for pressure control equipment which is to be used, a schematic diagram thereof showing sizes, pressure ratings and testing procedures and testing frequency:

BOTTOM

3000# BOP W/4-1/2" pipe rams
3000# BOP W/blind rams
3000# Hydril

TOP:

Grant rotating head

Manifold includes appropriate valves, positive and adjustable chokes and kill line to control abnormal pressures.

BOP's will be tested at installation and will be cycled on each trip.

6. The type and characteristics of the proposed circulating medium to be employed for rotary drilling and the quantities and types of mud and weighting material to be maintained:

(Continued on Page 2)

10-POINT PROGRAM - PAGE 2

6. Continued --

The well will be drilled with fresh water from surface to 4500' with a weight of 8.3 to 8.7 . From 4500' to TD the well will be drilled with fresh wtr mud with a weight from 8.7 to 10.4 . Sufficient weighting material (barite) will be on location to increase the mud weight if abnormal pressure is encountered.

7. The auxiliary equipment to be used:

- a. kelly cock
- b. monitoring equipment on the mud system
- c. a sub on the floor with a full opening valve to be stabbed into the drill pipe when the kelly is not in the string.

8. The testing, logging and coring program to be followed:

No DST's are planned
No cores are expected to be cut.

LOGS: Dual Induction Laterolog
Compensated Neutron-Formation Density

9. Any anticipated abnormal pressures or temperatures expected to be encountered:
No abnormal pressures or temperatures expected
No hydrogen sulfide expected

10. The anticipated starting date and duration of the operation:

January 31, 1982
Three week's duration

COASTAL OIL & GAS CORPORATION

13 Point Surface Use Plan

for

Well Location

N.B.U. #73

Located In

Section 17, T10S, R22E, S.L.B.& M.

Uintah County, Utah

COASTAL OIL & GAS CORPORATION
N.B.U. #73
Section 17, T10S, R22E, S.L.B. & M.

1. EXISTING ROADS

See attached Topographic Maps "A" & "B".

To reach COASTAL OIL & GAS CORPORATION, well location site N.B.U. #73 located in the SW 1/4 NW 1/4 Section 17, T10S, R22E, S.L.B. & M., Uintah County, Utah:

Proceed Westerly out of Vernal, Utah along U.S. Highway 40 - 14 miles to the junction of this road and Utah State Highway 209; proceed South along Utah State Highway 209 - 7 miles more or less to the junction of this Highway and the Utah State Highway 88; proceed Southerly on Highway 88 - 10 miles to Ouray, Utah; proceed along South on a county road known as the Seep Ridge Road 11.4 miles to its junction with the Bitter Creek gas field service road to the East; proceed in a Easterly direction along this road 10 miles to the junction with an oil field service road to the North; proceed in a North direction along this road 0.4 miles to its junction with the proposed access road (to be discussed in Item #2).

The highways mentioned above are bituminous surfaced roads to Ouray, Utah and are maintained by State road crews.

The county road known as the Seep Ridge Road is surfaced with native asphalt for + 4 miles and is then a gravel surface road. The above described county road is maintained by county road crews and will require no further maintenance. The dirt gas field roads described above are dirt surfaced road that were built out of the native materials of the area which were accumulated during their construction. These materials consist of light brown sandy clay materials with some poorly graded gravels. These gas field roads will be maintained by COASTAL OIL & GAS CORPORATION or its sub-contractors, this maintenance will consist of some minor grader work to smooth road grades and for snow removal.

There is no anticipated construction on any portion of the above described roads. They will meet the necessary standards required to facilitate an orderly flow of traffic during the drilling phase, completion phase, and production phase of this well at such time that production is established. There may be some minor re-routing at the point where the existing road crosses the proposed location pad.

2. PLANNED ACCESS ROAD

See Topographic Map "B".

The proposed access road leaves the existing road described in Item #1 in the NE 1/4 SW 1/4 Section 17, T10S, R22E, S.L.B. & M., and proceeds in a Northerly direction 0.3 miles to the proposed location site.

This proposed road is relatively flat.

The grade along this road will be relatively level, the maximum grade along this road will not exceed 8%. The vegetation along this road consists of sagebrush and grasses with large areas devoid of an vegetation.

The proposed access road will be an 18' crown road (9' either side of the centerline) with drain ditches along either side of the proposed road where it is determined necessary in order to handle any run-off from normal meteorological conditions that are prevalent to this area.

Back slopes along the cut areas of the road will be 1 1/2 to 1 slopes and terraced.

The road will be centerline flagged prior to the commencement of construction. This road will be constructed out of the native materials which will be accumulated during its construction.

It is not anticipated at this time that there will be any turnouts required along this road, however, if at the time of the onsite inspection, it is determined that it is necessary, then it will be constructed according to the specifications for turnout installation in the Oil & Gas Surface Operation Manual.

It is not anticipated that there will be any culverts required along this road as it crosses no drainages of any consequence.

There are no fences encountered along this access road, there will be no gates or cattleguards required.

3. EXISTING WELLS

There are approximately 6 existing producing gas wells and one abandoned well within a one mile radius of this location site. See Topographic Map "B" for the location of these wells relative to the proposed location site.

There are no water wells, temporarily abandoned wells, disposal wells, drilling wells, shut-in wells, injection wells, monitoring or observation wells for other resources located within a one-mile radius of this location site.

4. LOCATION OF EXISTING AND PROPOSED FACILITIES

At the present time there are existing facilities belonging to COASTAL OIL & GAS CORPORATION within a one-mile radius of this location site.

In the event that production is established at this location the production will be contained within the location site until a gas line can be run from this location to existing lines in the area. The exact location of this line is not known at this time. Detailed plans for this line will be submitted to the appropriate agencies before construction begins, showing the approximate final location of the facilities.

All areas used to contain these production facilities will be built out of the native materials accumulated during their construction. These facilities will be constructed using graders, bulldozers, and workman crews to construct and place the proposed facilities.

The proposed gas flow line will be an 18' right-of-way.

If there is any deviation from the above, all appropriate agencies will be notified.

5. LOCATION AND TYPE OF WATER SUPPLY

Water to be used for the drilling and production of this well will be hauled by truck from the White River at a point in the SE 1/4 NW 1/4 Section 4, T9S, R20E, S.L.B. & M. 21.8 miles over the roads described in Items #1 & 2.

In the event the above source cannot be improvised other arrangements will be made and all concerned agencies will be notified. All permits and necessary requirements will be strictly adhered to.

There will be no water well drilled at this location site.

6. SOURCE OF CONSTRUCTION MATERIALS

All construction material for this location site and access road shall be borrow material accumulated during construction of the location site and access road. No additional road gravels or pit lining material from other sources are anticipated at this time, but if they are required, the appropriate actions will be taken to acquire them from private sources.

The native materials that will be used in the construction of this location site and access road will consist of a sandy-clay soil and sandstone and shale materials gathered in actual construction of the road and location.

7. METHODS OF HANDLING WASTE DISPOSAL

See Location Layout Sheet.

A reserve pit shall be constructed.

The reserve pit will be 8' deep and at least half of the depth of the reserve pit shall be below the existing ground surface.

One-half of the reserve pit will be used as a fresh water storage area during the drilling of this well and the other one half will be used to store non-flammable material such as cuttings, salts, drilling fluids, chemicals, produced fluids, etc.

If deemed necessary by the agencies concerned, to prevent contamination to surrounding areas, the reserve pit will be lined with a gel.

The pits will have wire and overhead flagging installed at such time as deemed necessary to protect the water fowl, wildlife, and domestic animals.

At the onset of drilling, the reserve pit will be fenced on three sides and at the time the drilling activities are completed, it will be fenced on the fourth side and allowed to dry completely prior to the time that backfilling and reclamation activities are attempted.

When the reserve pit dries and the reclamation activities commence, the pits will be covered with a minimum of four feet of soil and all requirements of Item #10 will be followed.

A portable trash basket will be placed on the location site and all trash will be hauled to the nearest Sanitary Landfill.

A portable chemical toilet will be supplied for human waste.

8. ANCILLARY FACILITIES

There are no ancillary facilities planned for at the present time and none foreseen in the near future.

9. WELL SITE LAYOUT

See attached location layout sheet.

The B.L.M. Representative shall be notified before any construction begins on the proposed location site and road.

As mentioned in Item #7, the pits will be unlined unless it is determined by the representatives of the agencies involved that the materials are too porous and would cause contamination to the surrounding area; then the pits will be lined with a gel and any other type of material necessary to make it safe and tight.

When drilling activities commence, all work shall proceed in a neat and orderly sequence.

10. PLANS FOR RESTORATION OF SURFACE

As there is some topsoil on the location site, all topsoil shall be stripped and stockpiled. (See location layout sheet and Item #9). When all drilling and production activities have been completed, the location site and access road will be reshaped to the original contour and stockpiled topsoil spread over the disturbed area.

Any drainages re-routed during the construction activities shall be restored to their original line of flow as near as possible. Fences around pits are to be removed upon completion of drilling activities and all waste being contained in the trash basket shall be hauled to the nearest sanitary landfill.

Restoration activities shall begin within 90 days after completion of the well. Once Restoration activities have begun, they shall be completed within 30 days.

When restoration activities have been completed, the location site and access ramp shall be reseeded with a seed mixture recommended by the B.L.M. Representative when the moisture content of the soil is adequate for germination. The Lessee further covenants and agrees that all of said clean-up and restoration activities shall be done and performed in a diligent and most workmanlike manner and in strict conformity with the above mentioned Items #7 and #10.

11. OTHER INFORMATION

The Topography of the General Area -- (See Topographic Map "A")

The area is a large basin formed by the Uinta Mountains to the North and the Book Cliff Mountains to the South. The White River is located approximately 3 miles to the Northeast of the location site.

The majority of the washes and streams in the area are non-perennial in nature with the only one in the area having a year round flow being the White River and Green River to the North and Willow Creek to the West, of which the numerous washes, draws and non-perennial streams are tributaries to.

The majority of the surrounding drainages are of a non-perennial nature with normal flow limited to the early spring and extremely rare heavy thunderstorms, or rainstorms of high intensity that lasts over an extended period of time and are extremely rare in nature as the normal annual precipitation is only 8".

All drainages in the immediate area are non-perennial streams and flow to the North and are tributaries to the White River.

The soils of this semi-arid area are of the Uinta Formation and Duchesne River Formation (the Fluvial Sandstone and Mudstone) from the Eocene Epoch and Quaternary Epoch (gravels surfaces) and the visible geologic structure consists of light brownish-gray clays (OL) to sandy soils (SM-ML) with poor gravels and shales with outcrops of rock (sandstone, mudstone, conglomerates and shales).

COASTAL OIL & GAS CORPORATION
N.B.U. #73
Section 17, T10S, R22E, S.L.B. & M.

Due to the low precipitation average, climatic conditions and the marginal types of soils, the vegetation that is found in the area are common of the semi-arid region. We are located in and in the lower elevations of the Uintah Basin. It consists of, as primary flow areas of sagebrush, rabbitbrush, some grasses, and cacti and large areas of bare soils devoid of any growth in the areas away from and in the vicinity of non-perennial streams and along the areas that are formed along the edges of perennial streams, cottonwood, willows, tamarack sagebrush, rabbitbrush, grasses and cacti can be found.

The fauna of the area is sparse and consists predominantly of the mule deer, coyotes, pronghorn antelope, rabbits, and varieties of small ground squirrels and other types of rodents, and various reptiles common to this area.

The birds of the area are raptors, finches, ground sparrows, magpies, crows, and jays.

The area is used by man for the primary purpose of grazing domestic livestock.

The Topography of the Immediate Area - (See Topographic Map "B").

N.B.U. #73 is located on a relatively flat area approximately 2 miles East of Sand Wash and 2.25 miles West of Bitter Creek. Both of which drain to the North into the White River.

The geologic structure of the location is of the Uinta Formation and consists of light brownish-gray clay (SP-PL) with some sandstone outcrops.

The ground slopes through this location site from the Southeast through the site to the Northwest at approximately a 2.5% grade.

The location is covered with some sagebrush and grasses.

The total surface ownership affected by this location is administered by the B.L.M.

There are no occupied dwellings or other facilities of this nature in the general area.

There are no visible archaeological, historical, or cultural sites within any reasonable proximity of the proposed location site. (See Topographic Map "B").

12. LESSEE'S OR OPERATOR'S REPRESENTATIVE

COASTAL OIL & GAS CORPORATION
P.O. Box 749
Denver, CO. 80201


1-303-572-1121

COASTAL OIL & GAS CORPORATION
N.B.U. #73
Section 17, T10S, R22E, S.L.B. & M.

13. CERTIFICATION

I hereby certify that I, or persons under my direct supervision have inspected the proposed drill site and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are to the best of my knowledge true and correct; and that the work associated with the operation proposed herein will be performed by COASTAL OIL & GAS CORPORATION and its contractors and sub-contractors in conformity with this plan and the terms and conditions under which it is approved.

September 18, 1981
Date



H. E. Aab
District Drilling Manager

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☐ gas well ☒ other

2. NAME OF OPERATOR
Coastal Oil & Gas Corporation

3. ADDRESS OF OPERATOR
P.O. Box 749, Denver, CO 80201

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1686' FNL/1932' FWL (SE NW)
AT TOP PROD. INTERVAL: Same
AT TOTAL DEPTH: Same

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐

SUBSEQUENT REPORT OF:

☐
☐
☐
☐
☐
☐
☐
☐

(other) Proposed Gas Well Prod. Hookup

5. LEASE
U-01196-E

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
N/A

7. UNIT AGREEMENT NAME
Natural Buttes Unit

8. FARM OR LEASE NAME
Natural Buttes Unit

9. WELL NO.
Natural Buttes Unit No. 73

10. FIELD OR WILDCAT NAME
Natural Buttes Field

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Section 17-T10S-R22E

12. COUNTY OR PARISH
Uintah

13. STATE
Utah

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)
5340' Ungr. Gr.

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

SUPPLEMENT TO APPLICATION FOR PERMIT TO DRILL

(1) PROPOSED GAS WELL PRODUCTION HOOKUP

(A) TYPICAL WELL HEAD INSTALLATION
(B) TYPICAL MAIN LINES AND PIPE ANCHOR DETAIL

(2) PROPOSED PIPELINE MAP

(3) PROPOSED ROAD AND FLOW LINE AND PIPELINE RIGHT OF WAY

FOR ON-SITE CONTACT: IRA K. McCLANAHAN AT (303) 473-2300


Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED E. R. Midkiff TITLE Production Manager DATE October 5, 1981

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:



COASTAL OIL & GAS CORPORATION
DENVER, COLORADO

Natural Buttes Unit No. 73
Section 17-T10S-R22E
Uintah County, Utah

ESTIMATE SKETCH

DATE: 9-28-81
STARTING DATE: _____
EST. COMP. DATE: _____
☐ COMPANY ☒ CONTRACT


☒ COLORADO INTERSTATE GAS COMPANY
☐ _____

W O NO.: _____
REVISION NO.: _____
BUDGET NO.: _____
RELATED DWG.: 115F4-1F

LOCATION: SE NW SEC. 17-7105-R22E COUNTY: UINTAH STATE: UTAH
DESCRIPTION OF WORK: CONNECT NBU #73 NATURAL BUTES FIELD

REQUESTED BY: _____ APPROXIMATE MILEAGE: _____ PROJECT ENGINEER: JFK

RANGE: 22E



TOWNSHIP: 10S


Statement for permit to lay flow line, to be included with application for Drilling Permit:

Upon approval of all concerned regulatory agencies, CIG proposes to install a surface flow line from NBU 73 in a northwesterly direction through the NW/4 of Section 17 connecting to Line F26-2" in the NW/4 of Section 17, all in 10S-22E. The line will be approximately 1,700' long, as shown on the attached sketches.

Pipe will be 4-1/2" O.D. x .125" W.T., Grade X-42 EW. It will be butt-welded in place, using portable electric welding machines, and will be laid aboveground except where burial is necessary for road crossing, ditches, or other obstructions. Magnesium anodes will be installed at the dehydrator, meter setting, road crossings, underground piping at stream crossings, and at producer's separator for corrosion protection.

CIG will connect to producer's separator and install dehydration and metering facilities within 100' of the connection.

Some damage will be incurred by trucks transporting pipe and welding equipment over the pipeline route, but surface disturbance will be held to a minimum.



							/
							/
							/
							/
							/
N.O.	C O. NO:	DESCRIPTION	DATE	BY	CHK.	APPR.	

TYPICAL WELL HEAD INSTALLATION
NATURAL BUTTES FIELD

UINTAH COUNTY,

UTAH

SCALE: NONE

DRAWN: RWP

AFP:

115 FP-2 1/2

**** FILE NOTATIONS ****

DATE: October 15, 1981

OPERATOR: Coastal Oil & Gas Corporation

WELL NO: Natural Buttes Unit #73

Location: Sec. 17 T. 10S R. 22E County: Uintah

File Prepared: ☒

Entered on N.I.D: ☒

Card Indexed: ☒

Completion Sheet: ☒

API Number 43-047-31102

CHECKED BY:

Petroleum Engineer: W.S. Miller 10-15-81

Director: _____

Administrative Aide: Unit Well, ok on boundaries

APPROVAL LETTER:

Bond Required: ☐

Survey Plat Required: ☐

Order No. _____

O.K. Rule C-3 ☐

Rule C-3(c), Topographic Exception - company owns or controls acreage within a 660' radius of proposed site ☐

Lease Designation ☒

Plotted on Map ☐

Approval Letter Written ☐

Hot Line ☐

P.I. ☐

October 19, 1981

Coastal Oil & Gas Corp.
P. O. Box 749
Denver, Colo. 80201

RE: Well No. Natural Buttes Unit #73,
Sec. 17, T. 10S, R. 22E,
Uintah County, Utah

Insofar as this office is concerned, approval to drill the above referred to gas well is hereby granted in accordance with Section 40-6-11, Utah Code Annotated 1953; and predicated on Rule A-3, General Rules and Regulations and Rules of Practice and Procedure.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

MICHAEL T. MINDER - Petroleum Engineer
Office: 533-5771
Home: 876-3001


Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-047-31102.

Sincerely

DIVISION OF OIL, GAS AND MINING


Cleon B. Feight
Director

CBF/db
CC: USGS

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
DRILL ☒ DEEPEN ☐ PLUG BACK ☐

b. TYPE OF WELL
OIL WELL ☐ GAS WELL ☒ OTHER ☐ SINGLE ZONE ☒ MULTIPLE ZONE ☐

2. NAME OF OPERATOR
Coastal Oil & Gas Corporation

3. ADDRESS OF OPERATOR
P.O. Box 749, Denver, CO 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*)
At surface
1686' FNL/1932' FWL (SE NW)
At proposed prod. zone
Same

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
Approximately 15 miles SE of Ouray, Utah

15. DISTANCE FROM PROPOSED*
LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drlg. unit line, if any) 1686'

18. DISTANCE FROM PROPOSED LOCATION*
TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT. 2877'

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
5340' Ungr. Gr.

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	9-5/8"	36#	200'	125 sx
8-3/4", 7-7/8"	4-1/2"	11.6#	6400'	Sufficient cmt to cover 200' above the uppermost hydrocarbon zone to protect the oil shale.

Fresh water aquifers will be protected when the long string
is run and cement is circulated back to surface.

Please see the attached supplemental information:

- (1) Survey Plat
- (2) Ten-point Program
- (3) BOP Schematic
- (4) Thirteen-point Surface Use Program

Gas Well Production Hook-up to follow on Sundry Notice.

RECEIVED
DEC 11 1981

DIVISION OF
OIL, GAS & MINING

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED H. E. Aab TITLE District Drilling Manager DATE September 18, 1981
(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____
APPROVED BY [Signature] FOR E. W. GUYNN
CONDITIONS OF APPROVAL, IF ANY: TITLE DISTRICT OIL & GAS SUPERVISOR DATE DEC 10 1981

NOTICE OF APPROVAL

CONDITIONS OF APPROVAL ATTACHED
TO OPERATOR'S COPY

*See Instructions On Reverse Side

FLARING OR VENTING OF
GAS IS SUBJECT TO NTL 4-A
DATED 1/1/80

8 state of id

United States Department of the Interior
Geological Survey
2000 Administration Bldg.
1745 West 1700 South
Salt Lake City, Utah 84104

NEPA CATEGORICAL EXCLUSION REVIEW

PROJECT IDENTIFICATION

Operator Coastal Oil and Gas Corporation
Project Type Gas Well
Project Location 1686' FNL & 1932' FWL - Sec. 17, T. 10S, R. 22E
Well No. NBU #73 Lease No. U-01196-E
Date Project Submitted September 21, 1981

FIELD INSPECTION

Date October 22, 1981

Field Inspection
Participants

Greg Darlington - USGS, Vernal

Cory Bodman - BLM, Vernal

Pat Bohner - Coastal Oil and Gas

Tonah Jackson - Coastal Oil and Gas

Related Environmental Documents: Unit Resource Analysis, Seep Ridge Planning

Unit, BLM, Vernal

I have reviewed the proposal in accordance with the categorical exclusion review guidelines. This proposal would not involve any significant effects and, therefore, does not represent an exception to the categorical exclusions.

November 2, 1981
Date Prepared

Greg Darlington
Environmental Scientist

I concur

NOV 05 1981

Date

W. P. Martin
District Supervisor

FOR E. W. GUYNN
DISTRICT OIL & GAS SUPERVISOR

Typed In 10-30-81

Typing Out 11-2-81

PROPOSED ACTIONS:

Coastal Oil and Gas Corporation plans to drill the NBU #73 well, a 6400' gas test of the Wasatch Formation. About .3 mile of new access road will be required and .4 mile of existing road will need some upgrading. A pad 195' x 350' and a reserve pit 105' x 150' are planned for the location. A 1700' gas flowline hookup route to handle anticipated production from this well is indicated in an attached Sundry Notice.

RECOMMENDED APPROVAL CONDITIONS:

The operator agrees to accept and adhere to the following conditions in addition to the plans outlined in the APD:


1. BLM stipulations;
2. Lease stipulations; and
3. provide adequate logs for the identification of other minerals as requested in the Mineral Evaluation Report and Mining Report.

CATEGORICAL EXCLUSION REVIEW INFORMATION SOURCE

Criteria 516 DM 2.3.A	Federal/State Agency			Local and private corre- spondence (date)	Previous NEPA	Other studies and reports	Staff expertise	Onsite inspection (date)	Other
	Corre- spondence (date)	Phone check (date)	Meeting (date)						
Public health and safety							1, 2, 4, 6	October 22 1981	
Unique charac- teristics							1, 2, 4, 6		
Environmentally controversial							1, 2, 4, 6		
Uncertain and unknown risks							1, 2, 4, 6		
Establishes precedents							1, 2, 4, 6		
Cumulatively significant							1, 2, 4, 6		
National Register historic places							1, 6		
Endangered/ threatened species							1, 6		
Violate Federal, State, local, tribal law							1, 2, 4, 6	✓	

CATEGORICAL EXCLUSION REVIEW COMMON REFERENCE LEGEND

1. Surface Management Agency Input
2. Reviews Reports, or information received from Geological Survey (Conservation Division, Geological Division, Water Resource Division, Topographic Division)
3. Lease Stipulations/Terms
4. Application Permit to Drill
5. Operator Correspondence
6. Field Observation
7. Private Rehabilitation Agreement
8. *Onsite Requirements other than the items 1-7.*



*Northwest View
NBU #73*



United States Department of the Interior

IN REPLY REFER TO

T & R
U-802

BUREAU OF LAND MANAGEMENT
VERNAL DISTRICT OFFICE
170 South 500 East
Vernal, Utah 84078

November 10, 1981

Ed Guynn, District Engineer
USGS, Conservation Division
2000 Administration Building
1745 West 1700 South
Salt Lake City, Utah 84104

Re: Coastal Oil and Gas Corporation
Flowlines for;
Well #59, Sec. 33, T10S, R21E
Well #70, Sec. 3, T10S, R22E
Well #71, Sec. 1, T10S, R21E
Well #72, Sec. 12, T10S, R20E
Well #73, Sec. 17, T10S, R22E
Well #76, Sec. 26, T10S, R21E

Dear Sir:


We waive the joint on site for the above referenced flowlines.

We feel that the following recommendations should be used to govern the installation of the aforementioned flowline.

1. No installation will be allowed unless this office is notified at least 24 hours prior to the start of construction.
2. The proposed flowline routes will not be bladed. A bulldozer may be used to assist trucks in steep terrain, drag pipeline into position and for the construction of ford type crossings on drainages which cannot otherwise be crossed. Construction of drainage crossing is the only type surface disturbance authorized.
3. Pipeline construction shall not block, dam, or change the natural flow of any drainage.
4. The production facilities shall be painted so that they blend in with the surrounding environment.

The BLM representative will be Cory Bodman 789-1362.

Sincerely,


Dean L. Evans
Area Manager
Bookcliffs Resource Area

cc: USGS, Vernal



United States Department of the Interior


BUREAU OF LAND MANAGEMENT
VERNAL DISTRICT OFFICE
170 South 500 East
Vernal, Utah 84078

IN REPLY REFER TO

T & R
U-802

October 30, 1981

Ed Guynn, District Engineer
USGS, Conservation Division
2000 Administration Building
1745 West, 1700 South
Salt Lake City, Utah 84104



Re: Coastal Oil & Gas Corporation
Well #71 Sec. 1, T10S, R22E access
only
Well #70 Sec. 3, T10S, R22E
Well #72 Sec. 12, T10S, R20E
Well #75 Sec. 20, T10S, R20E access
only
Well #76 Sec. 26, T10S, R21E
Well #73 Sec. 17, T10S, R22E

Dear Sir:

A joint field examination was made on October 22, 1981, of the above referenced well site location and proposed access road. We feel that the surface use and operating plans are adequate with the following revisions and stipulations:

1. Construction and maintenance of roads, rehabilitation of disturbed areas and construction of pipeline routes, shall be in accordance with surface use standards as set forth in the brochure, "Surface Operating Standards for Oil and Gas Exploration".
2. Traveling off access road right-of-ways will not be allowed. The maximum width of access pads (both existing and planned) will be 30 feet total disturbed area. Roads will be crowned and properly maintained. Turn-outs will not be required.
3. BLM will be notified at least 24 hours prior to any construction.
4. Open pits will not be constructed. There will be no burning or piling of trash or garbage at the well sites. Refuse must be contained in trash cages and hauled to an approved disposal site.


5. A wire mesh or net type of fence, topped with at least one strand of barded wire, will be used around the reserve pits.
6. The BLM will be contacted at least 24 hours prior to any rehabilitation activities. The operator may be informed of any additional needed seeding or restoration requirements.
7. Production facilities will be painted so that they blend in with the surrounding environment.
8. At well #72 corner #2 was moved 150 feet to the northwest and the pad was rotated 15° to the east. The top 4 inches of topsoil will be stockpiled between corners #2 and #3.
9. At well #76, the top 4 inches of topsoil will be stockpiled between corners #7 and #8.
10. At well #73, the top 4 inches of topsoil will be stockpiled between corners #5 and #6.
11. The access road for well #71 will require a culvert at the major drainage.
12. At well #70, the top 4 inches of topsoil will be stockpiled near corner #6.

An archaeological clearance has been conducted by A. E. R. C. Inc., of the proposed drill site and proposed access road. No cultural materials were located on the surface of the surveyed areas.

The proposed activities do not jeopardize listed, threatened, or endangered flora, fauna or their habitats.

The BLM representative will be Cory Bodman, 789-1362.

Sincerely,


Cory E. Bodman
Dean L. Evans
Area Manager
Bookcliffs Resource Area


cc: USGS, Vernal

N.B.U. #73

COASTAL OIL & GAS CORP.


SCALE - 1" = 50'

WIND EAST






SOILS LITHOLOGY

- NO SCALE -



LIGHT BROWN SANDY CLAY

C
R
O
S
S
S
E
C
T
I
O
N



SCALES

1" = 50'

APPROX. YARDAGES

CUT - 14,380

FILL - 1,882

COASTAL OIL & GAS
CORPORATION

NBU # 73

PROPOSED LOCATION

TOPO.

MAP "B"

SCALE - 1" = 2000'

ROAD CLASSIFICATION

Light-duty road, all weather,

Unimproved road, fair or dry

improved surface

weather

UTAH

QUADRANGLE LOCATION

Gas Well

GAS

11

12

7

9


CREEK

R
R
E

R
R
E

T
S
T
I
O
S

PROPOSED LOCATION
(N. B. U. # 73)



COASTAL OIL & GAS CORPORATION

NBU #73


PROPOSED LOCATION

TOPO.

MAP "A"



SCALE - 1" = 4 Mi.



PROPOSED LOCATION



DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

NAME OF COMPANY: COASTAL OIL & GAS

WELL NAME: Natural Buttes Unit #73

SECTION SENE 17 TOWNSHIP 10S RANGE 22E COUNTY Uintah

DRILLING CONTRACTOR Loffland

RIG # 236

SPUDDED: DATE 1-22-82

TIME 9:00 AM

How Dry Hole

DRILLING WILL COMMENCE _____

REPORTED BY Tracie Dawie

TELEPHONE # 303-572-1121

DATE January 22, 1982 SIGNED DB

NOTICE OF SPUD

Company: Inac

Caller: Castal Oil + Gas

Phone: _____

Well Number: NBU #73N2

Location: SE NW 17-105-224

County: Uintah State: Utah

Lease Number: U-01196E

Lease Expiration Date: 1

Unit Name (If Applicable): NBU

Date & Time Spudded: 1-22-82 9:00 am

Dry Hole Spudder/Rotary: _____

Details of Spud (Hole, Casing, Cement, etc.) 12 1/4" hole

Rotary Rig Name & Number: Lofland #236

Approximate Date Rotary Moves In: 2-15-82

FOLLOW WITH SUNDRY NOTICE

Call Received By: SM

Date: 1-22-82

RECEIVED
JAN 25 1982

DIVISION OF
OIL, GAS & MINING

NOTICE OF SPUD

WELL NAME: NBU 50

LOCATION: NW 1/4 NW 1/4 SECTION 31 T- 9S R- 22E

COUNTY: Lincoln STATE: Utah

LEASE NO.: ML-23107 LEASE EXPIRATION DATE: 4BP

UNIT NAME (If Applicable): Natural Bunk

DATE & TIME SPUDDED: 1/15/82 7:00 A.M.

DRY HOLE SPUDDER: Ram Air Drilling

DETAILS OF SPUD (Hole, Casing, Cement, etc.): 1 7/8" hole to 205'
9 5/8" csg @ 195' GL. 5 jts. cnt 125 SK Class "G"
2% CaCl₂ 1/4 #1 SK Flocc. Plug dn 1:15 pm 1/14/82

ROTARY RIG NAME & NUMBER: Westburne #105

APPROXIMATE DATE ROTARY MOVES IN: February 10, 1982

FOLLOW WITH SUNDRY NOTICE

USGS CALLED: DATE: January 22, 1982

PERSON CALLED: Neresa - R. R. R. R.

STATE CALLED: DATE: January 22, 1982

PERSON CALLED: Dobbie Beauregard

REPORTED BY: Tracy Dawe

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ well gas ☒ well other ☐
2. NAME OF OPERATOR
Coastal Oil & Gas Corporation
3. ADDRESS OF OPERATOR
P.O. Box 749, Denver, CO 80201
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1686' FNL/1932' FWL (SE NW)
AT TOP PROD. INTERVAL: Same
AT TOTAL DEPTH: Same
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF	<input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>	<input type="checkbox"/>
(other)	Spud	X

5. LEASE
U-01196-E
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
N/A
7. UNIT AGREEMENT NAME
Natural Buttes Unit
8. FARM OR LEASE NAME
Natural Buttes Unit
9. WELL NO.
Natural Buttes Unit No. 73N2
10. FIELD OR WILDCAT NAME
Natural Buttes Field
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Section 17-T10S-R22E
12. COUNTY OR PARISH
Uintah
13. STATE
Utah
14. API NO.
43-047
15. ELEVATION OF SURFACE OF FORMER AND WD)
5340' Ungr. Gr.

RECEIVED
FEB 01 1982
DIVISION OF
OIL, GAS & MINING
(NOTE: Report results of multiple completion operations change in Form 9-331-C)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Verbal report made to USGS (Teresa) and State (Debbie) January 22, 1982.
Please see attached for additional details.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature] TITLE _____ DATE _____

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ well gas ☒ well other ☐
2. NAME OF OPERATOR
Coastal Oil & Gas Corporation
3. ADDRESS OF OPERATOR
P. O. Box 749, Denver, CO 80201
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1686' FNL/1932' FWL (SE NW)
AT TOP PROD. INTERVAL: Same
AT TOTAL DEPTH: Same
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

- | REQUEST FOR APPROVAL TO: | | SUBSEQUENT REPORT OF: | |
|--------------------------|--------------------------|-----------------------|-------------------------------------|
| TEST WATER SHUT-OFF | <input type="checkbox"/> | | <input type="checkbox"/> |
| FRACTURE TREAT | <input type="checkbox"/> | | <input type="checkbox"/> |
| SHOOT OR ACIDIZE | <input type="checkbox"/> | | <input type="checkbox"/> |
| REPAIR WELL | <input type="checkbox"/> | | <input type="checkbox"/> |
| PULL OR ALTER CASING | <input type="checkbox"/> | | <input type="checkbox"/> |
| MULTIPLE COMPLETE | <input type="checkbox"/> | | <input type="checkbox"/> |
| CHANGE ZONES | <input type="checkbox"/> | | <input type="checkbox"/> |
| ABANDON* | <input type="checkbox"/> | | <input checked="" type="checkbox"/> |
| (other) | <input type="checkbox"/> | | <input type="checkbox"/> |

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Verbal approval received from E. W. Gynn 10:30 PM 3/11/82. Well P&A'd 3/12/82.
TD: 6200'
Formation Tops: Wasatch 4403'

Cement Plugs:	4400'-4200'	65 sx class "H"
	2450'-2250'	65 sx class "H"
	1200'-1000'	75 sx class "H"
	300'- 100'	85 sx class "H"
	Surface	10 sx class "H"

Location to be rehabilitated per BLM stipulations and regulation dry hole marker installed.

5. LEASE
U-01196-E
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
N/A
7. UNIT AGREEMENT NAME
Natural Buttes Unit
8. FARM OR LEASE NAME
Natural Buttes Unit
9. WELL NO.
Natural Buttes Unit No. 73
10. FIELD OR WILDCAT NAME
Natural Buttes Field
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Section 17-T10S-R22E
12. COUNTY OR PARISH
Uintah
13. STATE
Utah
14. API NO.
43-047-31102
15. ELEVATIONS (SHOW DF, KDB, AND WD)
5340' Ungr. Gr.

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Lee W. Thying TITLE Dist. Drilling Eng DATE March 17, 1982

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

CONDITIONS OF APPROVAL FOR WELL ABANDONMENT

Company COASTAL OIL & GAS CORPORATION Location SEC. 17, T.10S, R.22E
Well No. NBU 73 Lease No. U-01196-E

A COPY OF THESE CONDITIONS SHOULD BE FURNISHED YOUR
FIELD REPRESENTATIVE TO INSURE COMPLIANCE

1. This office should be notified sufficiently in advance of actual plugging work so that a representative may have an opportunity to witness the operation.
2. Upon completion of approved plugging, erect the regulation marker in accordance with 30 CFR 221.22 and clean up the location. The marker should not be less than 4 inches in diameter and extend approximately 4 feet above general ground level. Heap up the dirt around the base of the marker about 18 inches to take care of any settling of the cellar. The top of the marker must be closed or capped. Pits must be fenced unless approved otherwise by the district engineer.
3. The following minimum information shall be permanently placed on the marker with a plate, cap, or beaded-on with a welding torch:
"Fed" or "Ind", as applicable.
"Well number, location by $\frac{1}{4}$ section, township and range."
4. Within 15 days after well bore plugging operations are completed, form 9-331 (Subsequent Report of Abandonment) must be filed showing location of plugs, amount of cement in each, amount of casing left in hole, and status of surface restoration. If a temporary delay in removal of equipment or surface cleanup is deemed necessary and acceptable to this office, so note on this report and notify this office when such work has been completed to your satisfaction. This final abandonment report will not be approved until a physical inspection by this office and the surface management agency finds the well site in satisfactory condition.
5. If not previously filed, submit in duplicate Well Completion or Recompletion Report and Log (form 9-330), well history, electric logs, and other surveys, and if taken, core analysis and water analysis. These reports must also be filed within 15 days after completion of plugging operations.

OPERATOR

6. You or your authorized representative should inspect the abandoned location prior to notification to this office by form 9-331 that it is ready for inspection, and note especially:
- (a) That the regulation dry-hole marker bears the correct legend as required in item 3.
 - (b) That rathole and mousehole are filled, not just bridged, and pits are filled and leveled.
 - (c) That all material and junk are gone. This includes deadmen protruding above the level ground surface.
 - (d) That reseeding or other required restoration work has been completed.
7. The U. S. Geological Survey district office address is:

<u>2000 Administration Building, 1745 West 1700 South</u>	
<u>Salt Lake City, Utah 84104</u>	Phone <u>524-4590</u>
Dist. Engr. <u>E. W. Gynn</u>	Home Phone <u>582-7042</u>
Asst. Engr. <u>W. P. Martens</u>	Home Phone <u>466-2780</u>

8. The BLM contact man is: CORY BOORMAN
- Phone _____ (home)
- Phone (801) 789-1362 (office)

ORAL APPROVAL TO PLUG AND ABANDON WELL

Operator Central Oil & Gas Corp Representative Dempsey Day

Well No. NBU #73 Location SE 1/4 NW 1/4 Section 17 Township 10S Range 22E

Lease No. U-01196-E Field Natural Buttes State Utah Co., Utah

Unit Name and Required Depth Natural Buttes Unit Base of fresh water sands Base of Uintah

T.D. 6200 Size hole and Fell per sack 7 7/8 " 4214' Mud Weight Fresh wtr gal 9.4 #/gal. 9.4

Casing Size	Set At	Top of Cement	To Be Pulled	Plugging Requirements		
				From	To	Sacks Cement
<u>9 5/8</u>	<u>214</u>	<u>Sur</u>	<u>0</u>	<u>105' @ Sur w/req marion</u>	<u>100</u>	<u>10' Cmt plug</u>
				<u>300</u>		<u>200' Cmt plug</u>
Formation	Top	Base	Shows			
<u>Uintah</u>	<u>Sur</u>					
<u>Gran Grit</u>						
<u>Top of Sh</u>	<u>1200</u>			<u>1200</u>	<u>1000</u>	<u>200' Cmt plug</u>
<u>Base of Sh</u>	<u>2320</u>			<u>2450</u>	<u>2250</u>	<u>200' Cmt plug</u>
<u>Doug Grit</u>						
<u>Disatch</u>	<u>4400</u>			<u>4450</u>	<u>4200</u>	<u>200' Cmt plug</u>

REMARKS

DST's, lost circulation zones, water zones, etc., _____

- 1) Pick up all trash, debris & materials from site 2) Fill in all holes - ratholes, mounds, burn pit, cellar, etc 3) Reserve pit - 1/2 FULL - Fenced - Allow to dry fold in & reconstruct 4) Rehab in

Approved by EWS Date 3/11/82 Time 10:30 a.m. p.m.

Operator w/ Cond of Approval ✓
PETS, Vernal
BLM, Vernal

will file
Central
MER

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE

(See other in-
structions on
reverse side)Form approved.
Budget Bureau No. 42-R355.5.

6

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL:		OIL WELL <input type="checkbox"/>	GAS WELL <input type="checkbox"/>	DRY <input checked="" type="checkbox"/>	Other _____		
b. TYPE OF COMPLETION:		NEW WELL <input type="checkbox"/>	WORK OVER <input type="checkbox"/>	DEEP-EN <input type="checkbox"/>	PLUG BACK <input type="checkbox"/>	DIFF. RESVR. <input type="checkbox"/>	Other <u>P&A'd</u>
2. NAME OF OPERATOR Coastal Oil & Gas Corporation							
3. ADDRESS OF OPERATOR P. O. Box 749, Denver, CO 80201							
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 1686' FNL/1932' FWL (SE NW) At top prod. interval reported below Same At total depth Same							
14. PERMIT NO. 43-047-31102				DATE ISSUED 10-15-81			
15. DATE SPUDDED 1/23/82		16. DATE T.D. REACHED 3/10/82		17. DATE COMPL. (Ready to prod.) N/A		18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 5340' Ungr. Gr.	
19. ELEV. CASINGHEAD Unknown		20. TOTAL DEPTH, MD & TVD 6200'		21. PLUG, BACK T.D., MD & TVD N/A		22. IF MULTIPLE COMPL., HOW MANY* N/A	
23. INTERVALS DRILLED BY →		ROTARY TOOLS 0-TD		CABLE TOOLS		24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* N/A	
25. WAS DIRECTIONAL SURVEY MADE yes		26. TYPE ELECTRIC AND OTHER LOGS RUN EDC-CNL, NIL		27. WAS WELL CORED No			

28. CASING RECORD (Report all strings set in well)					
CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
9-5/8"	36#	214' KB	12-1/4"	125 sx "C"	

29. LINER RECORD					30. TUBING RECORD		
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
	N/A				N/A		

31. PERFORATION RECORD (Interval, size and number) N/A		32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC. DEPTH INTERVAL (MD) N/A AMOUNT AND KIND OF MATERIAL USED N/A	
---	--	---	--

33. PRODUCTION							
DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or shut-in)	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
			→				
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
		→					
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)						TEST WITNESSED BY	
35. LIST OF ATTACHMENTS							

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED Lee W. Thying TITLE District Drilling Engineer DATE March 17, 1982

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES:

SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	GEOLOGIC MARKERS		
				NAME	MEAS. DEPTH	TRUE VERT. DEPTH
No Cores of DST's				Wasatch	4403'	+952

JAN. 17. 2003 3:34PM

WESTPORT

NO. 173 P. 2



WESTPORT OIL AND GAS COMPANY, L.P.

410 Seventeenth Street #2300 Denver Colorado 80202-4436
Telephone: 303 573 5404 Fax: 303 573 5609

February 1, 2002

Department of the Interior
Bureau of Land Management
2850 Youngfield Street
Lakewood, CO 80215-7093
Attention: Ms. Martha Maxwell

RE: BLM Bond CO-1203
BLM Nationwide Bond 158626364
Surety - Continental Casualty Company
Belco Energy Corporation merger into Westport Oil and Gas Company, Inc.
Conversion of Westport Oil and Gas Company, Inc., into Westport Oil and Gas Company, L.P.
Assumption Rider - Westport Oil and Gas Company, L.P.

Dear Ms. Maxwell:

Pursuant to our recent conversations, please find the following list of enclosures for the BLM's consideration and approval:

Two (2) Assumption Riders, fully executed originals.
Copies of Belco Energy Corporation merger into Westport Oil and Gas Company, Inc.
Copies of Westport Oil and Gas Company, Inc., conversion into Westport Oil and Gas Company, L.P.
List of all Federal/BIA/State Leases - Belco/Westport's leases - in all states.

Please inform us of any additional information needed to complete the change to Westport Oil and Gas Company, L.P., as operator of record.

I thank you for your assistance and cooperation in this matter. Please do not hesitate contacting the undersigned, should a question arise.

Sincerely,
Westport Oil and Gas Company, L.P.

Debby J. Black
Debby J. Black
Engineer Technician

Encl:



United States Department of the Interior

RECEIVED

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

FEB 22 2002

DIVISION OF
OIL, GAS AND MINING

In Reply Refer To:

3106

UTU-25566 et al

(UT-924)

FEB 21 2002

NOTICE

Westport Oil and Gas Company L.P. : Oil and Gas
410 Seventeenth Street, #2300 :
Denver Colorado 80215-7093 :

Name Change Recognized

Acceptable evidence has been received in this office concerning the name change of Westport Oil and Gas Company, Inc. into Westport Oil and Gas Company, L.P. with Westport Oil and Gas Company, L.P. being the surviving entity.


For our purposes, the name change is recognized effective December 31, 2001.

The oil and gas lease files identified have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Westport Oil and Gas Company, Inc. to Westport Oil and Gas Company, L.P.. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Colorado.

UTU-03405
UTU-20895
UTU-25566
UTU-43156
UTU-49518
UTU-49519
UTU-49522
UTU-49523



Robert Lopez
Chief, Branch of
Minerals Adjudication

cc: Moab Field Office
Vernal Field Office
MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217
State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114
Teresa Thompson (UT-922)
Joe Incardine (UT-921)

memorandum

Branch of Real Estate Services
Uintah & Ouray Agency

Date: 5 December, 2002

Reply to
Attn of: Supervisory Petroleum Engineer

Subject: Modification of Utah Division of Oil, Gas and Mining Regulations

To: Director, Utah Division of Oil, Gas and Mining Division: John Baza


We have been advised of changes occurring with the operation of your database for Change of Operator. You will be modifying your records to reflect Change of Operator once you have received all necessary documentation from the companies involved, and perhaps in advance of our Notice of Concurrence/Approval of Change of Operator where Indian leases are involved.

We have no objection.

With further comment to Rulemaking, I wish to comment concerning the provision of Exhibits for upcoming Hearings. I would like to see the Uintah & Ouray Agency, BIA, and the Ute Indian Tribe, Energy & Mineral Resources Department added to the list of those parties that receive advance Exhibits so as to allow us to have research time prior to Hearing dates. We will be able to provide a more informed recommendation to the Oil, Gas and Mining Board. It would be best if we would receive only those Exhibits that concern Indian lands, specifically on or adjacent to Indian lands. This may be a difficult situation to attain, as it is not always clear where 'on or adjacent' occurs.

I am aware that you have gone to extra effort to correct this matter already, and I fully appreciate it. My request is intended only to allow the addition of Uintah & Ouray Agency and Ute Indian Tribe to the official listing.

We appreciate your concern, and hope that these comments are timely enough for consideration in the revision process.



CC: Minerals & Mining Section of RES
Ute Energy & Mineral Resources Department: Executive Director
chrono

**United States Department of the Interior****BUREAU OF INDIAN AFFAIRS**

Washington, D.C. 20240

FEB 10 2003

IN REPLY REFER TO:

Real Estate Services

Carroll A. Wilson
Principal Landman
Westport Oil and Gas Company, L.P.
1368 South 1200 East
Vernal, Utah 84078

Dear Mr. Wilson:

This is in response to your request for approval of RLI Insurance Company's Nationwide Oil and Gas Lease Bond No. RLB0005239 executed effective December 17, 2002, (\$150,000 coverage) with Westport Oil and Gas Company, L. P., as principal.

This bond is hereby approved as of the date of this correspondence and will be retained in the Bureau of Indian Affairs' Division of Real Estate Services, 1849 C Street, NW, MS-4512-MIB, Washington, D.C. 20240. All Bureau oil and gas regional offices and the surety are being informed of this action.

In cases where you have existing individual and/or collective bonds on file with one or more of our regional offices, you may now request those offices, directly, to terminate in lieu of coverage under this Nationwide Bond.

Enclosed is a copy of the approved bond for your files. If we may be of further assistance in this matter, please advise.

Sincerely,

Director, Office of Trust Responsibilities

ACTING

Enclosure

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

5. LEASE DESIGNATION AND SERIAL NUMBER:

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:

8. WELL NAME and NUMBER:

Exhibit "A"

9. API NUMBER:

10. FIELD AND POOL, OR WILDCAT:

1. TYPE OF WELL

OIL WELL ☐

GAS WELL ☐

OTHER

2. NAME OF OPERATOR:

El Paso Production Oil & Gas Company

3. ADDRESS OF OPERATOR:

9 Greenway Plaza

CITY

Houston

STATE

TX

ZIP

77064-0995

PHONE NUMBER:

(832) 676-5933

4. LOCATION OF WELL

FOOTAGES AT SURFACE:

COUNTY:

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE:

UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON	
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR	
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE	
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL	
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF	
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____	
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION		

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Operator change to Westport Oil and Gas Company, L.P., 1670 Broadway, Suite 2800, Denver, CO. 80202-4800, effective December 17, 2002.

BOND # _____

State Surety Bond No. RLB0005236

Fee Bond No. RLB0005238

EL PASO PRODUCTION OIL & GAS COMPANY

By:

Jon R. Nelsen, Attorney-in-Fact

RECEIVED

FEB 28 2003

DIV. OF OIL, GAS & MINING

WESTPORT OIL AND GAS COMPANY, L.P.

NAME (PLEASE PRINT)

David R. Dix

TITLE

Agent and Attorney-in-Fact

SIGNATURE

DATE

12/17/02

(This space for State use only)

Form 3160-5
(August 1999)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

5. Lease Serial No.

SEE ATTACHED EXHIBIT "A"

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

SEE ATTACHED EXHIBIT "A"

9. API Well No.

SEE ATTACHED EXHIBIT "A"

10. Field and Pool, or Exploratory Area

11. County or Parish, State

UINTAH COUNTY, UT

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

WESTPORT OIL & GAS COMPANY, L.P.

3a. Address

P.O. BOX 1148 VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-7023

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEE ATTACHED EXHIBIT "A"

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	SUCCESSOR OF
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	OPERATOR

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleting horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zone. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleting in a new interval, a Form 3160-4 shall be filed if testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator determined that the site is ready for final inspection.

WESTPORT OIL & GAS COMPANY, L.P., IS CONSIDERED TO BE THE OPERATOR ON THE ATTACHED DESCRIBED LANDS AND IS RESPONSIBLE UNDER THE TERMS AND CONDITIONS OF THE LEASE FOR THE OPERATIONS CONDUCTED ON THE LEASED LANDS OR PORTIONS THEREOF, BOND COVERAGE FOR THIS WELL IS PROVIDED BY FEDERAL NATIONWIDE BOND NO. 158626364, EFFECTIVE FEBRUARY 1, 2002, AND BIA NATIONWIDE BOND NO. RLB0005239, EFFECTIVE FEBRUARY 10, 2003.

RECEIVED

MAR 04 2003

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

CHERYL CAMERON

Title

OPERATIONS

Date

March 4, 2003

Approved by

THIS SPACE FOR FEDERAL OR STATE USE

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH

2. CDW

3. FILE

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective: 12-17-02

FROM: (Old Operator):	TO: (New Operator):
EL PASO PRODUCTION OIL & GAS COMPANY	WESTPORT OIL & GAS COMPANY LP
Address: 9 GREENWAY PLAZA	Address: P O BOX 1148
HOUSTON, TX 77064-0995	VERNAL, UT 84078
Phone: 1-(832)-676-5933	Phone: 1-(435)-781-7023
Account No. N1845	Account No. N2115

CA No.

Unit:

WELL(S)

NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
UTE TRAIL U 1	08-09S-22E	43-047-15377	2903	FEDERAL	GW	PA
NBU 73	17-09S-22E	43-047-31102	99998	FEDERAL	GW	PA
NBU 61	21-09S-22E	43-047-30900	99998	FEDERAL	GW	PA
STATE 1-32	32-09S-22E	43-047-34317	13419	STATE	GW	P
BITTER CREEK 1	34-09S-22E	43-047-15374	99998	FEDERAL	GW	PA
PETES FLAT 1-1	01-10S-23E	43-047-30558	1510	FEDERAL	GW	S
SOUTHMAN CANYON 4-4 (FED)	04-10S-23E	43-047-30632	10690	FEDERAL	GW	P
BONANZA 4-6	04-10S-23E	43-047-34751	99999	FEDERAL	GW	APD
SOUTHMAN CANYON 4-5	05-10S-23E	43-047-30633	6131	FEDERAL	GW	P
SOUTHMAN CANYON 1-5 (UTU-74473)	05-10S-23E	43-047-30856	10689	FEDERAL	GW	P
SAGE HEN FEDERAL 1-6 (CR-3)	06-10S-23E	43-047-30382	1490	FEDERAL	GW	S
FLAT MESA FEDERAL 1-7	07-10S-23E	43-047-30365	1505	FEDERAL	GW	S
FLAT MESA FEDERAL 2-7	07-10S-23E	43-047-30545	1506	FEDERAL	GW	P
SAGEBRUSH FEDERAL 1-8	08-10S-23E	43-047-30383	1467	FEDERAL	GW	TA
BONANZA 8-2	08-10S-23E	43-047-34087	99999	FEDERAL	GW	APD
BONANZA 8-3	08-10S-23E	43-047-34770	99999	FEDERAL	GW	APD
NO NAME CANYON FEDERAL 1-9	09-10S-23E	43-047-30378	1466	FEDERAL	GW	P
NO NAME CANYON FEDERAL 2-9	09-10S-23E	43-047-31504	1468	FEDERAL	GW	P
SOUTHMAN CANYON 9-3-M	09-10S-23E	43-047-32540	11767	FEDERAL	GW	S
SOUTHMAN CANYON 9-4-J	09-10S-23E	43-047-32541	11685	FEDERAL	GW	P

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 02/28/2003
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 03/04/2003
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 03/06/2003
4. Is the new operator registered in the State of Utah: YES Business Number: 1355743-0181
5. If **NO**, the operator was contacted on: _____

6. (R649-9-2) Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM-12/31/2003 BIA-12/5/02

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 02/27/2003

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: 01/09/2003

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 03/27/2003
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 03/27/2003
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: RLB 0005236

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: 158626364

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: RLB 0005239

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number RLB 0005238
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS:

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING

1. DJJ
 2. CDW

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:		1/6/2006	
FROM: (Old Operator): N2115-Westport Oil & Gas Co., LP 1368 South 1200 East Vernal, UT 84078 Phone: 1-(435) 781-7024	TO: (New Operator): N2995-Kerr-McGee Oil & Gas Onshore, LP 1368 South 1200 East Vernal, UT 84078 Phone: 1-(435) 781-7024		
CA No.		Unit:	
		NATURAL BUTTES UNIT	
WELL NAME	SEC TWN RNG	API NO	ENTITY NO
			LEASE TYPE
			WELL TYPE
			WELL STATUS

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 5/10/2006
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 5/10/2006
3. The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 3/7/2006
- 4a. Is the new operator registered in the State of Utah: YES Business Number: 1355743-0181
- 4b. If **NO**, the operator was contacted on: _____
- 5a. (R649-9-2)Waste Management Plan has been received on: IN PLACE
- 5b. Inspections of LA PA state/fee well sites complete on: n/a 3 LA wells & all PA wells transferred
- 5c. Reports current for Production/Disposition & Sundries on: ok
6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 3/27/2006 BIA not yet
7. **Federal and Indian Units:**
 The BLM or BIA has approved the successor of unit operator for wells listed on: 3/27/2006
8. **Federal and Indian Communization Agreements ("CA"):**
 The BLM or BIA has approved the operator for all wells listed within a CA on: n/a
9. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 5/15/2006
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 5/15/2006
3. Bond information entered in RBDMS on: 5/15/2006
4. Fee/State wells attached to bond in RBDMS on: 5/16/2006
5. Injection Projects to new operator in RBDMS on: _____
6. Receipt of Acceptance of Drilling Procedures for APD/New on: n/a Name Change Only

BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: CO1203
 2. Indian well(s) covered by Bond Number: RLB0005239
 3. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number RLB0005236
 - a. The **FORMER** operator has requested a release of liability from their bond on: n/a rider added KMG
- The Division sent response by letter on: _____

LEASE INTEREST OWNER NOTIFICATION:

4. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 5/16/2006

COMMENTS:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

KERR-McGEE OIL & GAS ONSHORE LP

3a. Address

1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEE ATTACHED

5. Lease Serial No.

MULTIPLE LEASES

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

MUTIPLE WELLS

9. API Well No.

10. Field and Pool, or Exploratory Area

11. County or Parish, State

UINTAH COUNTY, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other CHANGE OF OPERATOR
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

PLEASE BE ADVISED THAT KERR-McGEE OIL & GAS ONSHORE LP, IS CONSIDERED TO BE THE OPERATOR OF THE ATTACHED WELL LOCATIONS. EFFECTIVE JANUARY 6, 2006.

KERR-McGEE OIL & GAS ONSHORE LP, IS RESPONSIBLE UNDER TERMS AND CONDITIONS OF THE LEASE(S) FOR THE OPERATIONS CONDUCTED UPON LEASE LANDS. BOND COVERAGE IS PROVIDED BY STATE OF UTAH NATIONWIDE BOND NO. RLB0005237.

RECEIVED

MAY 10 2006

DIV. OF OIL, GAS & MINING

BLM BOND = C01203

BIA BOND = RLB0005239

APPROVED 5/16/06

Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

RANDY BAYNE

Title

DRILLING MANAGER

Signature

Date

May 9, 2006

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

5. Lease Serial No.

MULTIPLE LEASES

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

MUTIPLE WELLS

9. API Well No.

10. Field and Pool, or Exploratory Area

11. County or Parish, State

UINTAH COUNTY, UTAH

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

WESTPORT OIL & GAS COMPANY L.P.

3a. Address

1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEE ATTACHED

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

☐ Notice of Intent

☒ Subsequent Report

☐ Final Abandonment Notice

☐ Acidize

☐ Alter Casing

☐ Casing Repair

☐ Change Plans

☐ Convert to Injection

☐ Deepen

☐ Fracture Treat

☐ New Construction

☐ Plug and Abandon

☐ Plug Back

☐ Production (Start/Resume)

☐ Reclamation

☐ Recomplete

☐ Temporarily Abandon

☐ Water Disposal

☐ Water Shut-Off

☐ Well Integrity

☒ Other CHANGE OF
OPERATOR

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

EFFECTIVE JANUARY 6, 2006, WESTPORT OIL & GAS COMPANY L.P., HAS RELINQUISHED THE OPERATORSHIP OF THE ATTACHED WELL LOCATIONS TO KERR-McGEE OIL & GAS ONSHORE LP.

APPROVED 5/16/06

Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

RECEIVED

MAY 10 2006

DIV OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

BRAD LANEY

Signature

Title

ENGINEERING SPECIALIST

Date

May 9, 2006

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)



United States Department of the Interior

BUREAU OF LAND MANAGEMENT
Colorado State Office
2850 Youngfield Street
Lakewood, Colorado 80215-7076

IN REPLY REFER TO:

CO922 (MM)
3106
COC017387 et. al.

March 23, 2006

NOTICE

Kerr-McGee Oil & Gas Onshore L.P. :
1999 Broadway, Suite 3700 : Oil & Gas
Denver, CO 80202 :

Merger/Name Change - Recognized

On February 28, 2006 this office received acceptable evidence of the following mergers and name conversion:

Kerr-McGee Oil & Gas Onshore L.P., a Delaware Limited Partnership, and Kerr-McGee Oil & Gas Onshore LLC, a Delaware Limited Partnership merger with and into Westport Oil and Gas Company L.P., a Delaware Limited Partnership, and subsequent Westport Oil & Gas Company L.P. name conversion to Kerr-McGee Oil & Gas Onshore L.P.

For our purposes the merger and name conversion was effective January 4, 2006, the date the Secretary of State of Delaware authenticated the mergers and name conversion.

Kerr-McGee Oil & Gas Onshore L.P. provided a list of oil and gas leases held by the merging parties with the request that the Bureau of Land Management change all their lease records from the named entities to the new entity, Kerr-McGee Oil & Gas Onshore L.P. In response to this request each state is asked to retrieve their own list of leases in the names of these entities from the Bureau of Land Management's (BLM) automated LR2000 data base.

The oil and gas lease files identified on the list provided by Kerr-McGee Oil & Gas Onshore L.P. have been updated as to the merger and name conversion. We have not abstracted the lease files to determine if the entities affected by the acceptance of these documents holds an interest in the lease, nor have we attempt to identify leases where the entity is the operator on the ground that maintains vested record title or operating rights interests. If additional documentation, for change of operator, is required you will be contacted directly by the appropriate Field Office. The Mineral Management Services (MMS) and other applicable BLM offices were notified of the merger with a copy of this notice

Please contact this office if you identify additional leases where the merging party maintains an interest, under our jurisdiction, and we will document the case files with a copy of this notice. If the leases are under the jurisdiction of another State Office that information will be forwarded to them for their action.

Three riders accompanied the merger/name conversion documents which will add Kerr-McGee Oil and Gas Onshore LLC as a principal to the 3 Kerr-McGee bonds maintained by the Wyoming State Office. These riders will be forward to them for their acceptance.

The Nationwide Oil & Gas Continental Casualty Company Bond #158626364 (BLM Bond #CO1203), maintained by the Colorado State Office, will remain in full force and effect until an assumption rider is accepted by the Wyoming State Office that conditions their Nationwide Safeco bond to accept all outstanding liability on the oil and gas leases attached to the Colorado bond.

If you have questions about this action you may call me at 303.239.3768.

/s/Martha L. Maxwell
Martha L. Maxwell
Land Law Examiner
Fluid Minerals Adjudication

Attachment:

List of OG Leases to each of the following offices:

MMS MRM, MS 357B-1

WY, UT, NM/OK/TX, MT/ND, WY State Offices

CO Field Offices

Wyoming State Office

Rider #1 to Bond WY2357

Rider #2 to Bond WY1865

Rider #3 to Bond WY1127



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155
<http://www.blm.gov>



IN REPLY REFER TO:
3106
(UT-922)

March 27, 2006

Memorandum

To: Vernal Field Office

From: Chief, Branch of Fluid Minerals

Subject: Merger Approval

Attached is an approved copy of the merger recognized by the Bureau of Land Management, Colorado State Office. We have updated our records to reflect the merger from Westport Oil and Gas Company L.P. into Kerr-McGee Onshore Oil and Gas Company. The merger was approved effective January 4, 2006.

Chief, Branch of
Fluid Minerals

Enclosure

Approval letter from BLM COSO (2 pp)

cc: MMS, Reference Data Branch, James Sykes, PO Box 25165, Denver CO 80225
State of Utah, DOGM, Attn: Earlene Russell, PO Box 145801, SLC UT 84114
Teresa Thompson
Joe Incardine
Connie Seare
Dave Mascarenas
Susan Bauman

RECEIVED

MAR 28 2006

ENV. OF OIL, GAS & MIN. (D)